

Message

From: Wilson, Jennifer [wilson.jenniferA@epa.gov]
Sent: 6/2/2018 2:25:45 AM
To: Clark, Jacqueline [clark.jacqueline@epa.gov]; Duchovnay, Andrew [Duchovnay.Andrew@epa.gov]; Reinhart, Roger [Reinhart.Roger@epa.gov]; Rowsey, Kevin [rowsey.kevin@epa.gov]; Konfirst, Matthew [konfirst.matthew@epa.gov]
Subject: Chemours
Attachments: Chemours Response to EPA Letter Titled Chemours Washington Works next steps 121217.pdf; Letter_EPA_Areas of Concern.pdf

Enforcement confidential and deliberative. Do not release for FOIAs or discoveries. Subject to attorney/client privileges.

Hi Everyone,

I quickly skimmed the attached letters and I don't see any private residential addresses in them. May someone in Region 3 please double check this. However, there is information about individual water systems, but I don't believe that would be considered PII, is that correct, Jacquie and Andy?

Also, is the map on the last page of the Chemours letter sufficiently zoomed out so the addresses are not intelligible? I think it is, but I would like Jacquie and Andy to tell me. Roger, I think you said there was some sort of limit on the zooming that we had to meet for PII purposes. Is that correct?

Finally, I still have to take care of the individual addresses in the attachment to our letter. I tried to print that tonight, but I printed it in black and white. I will have to reprint it in color and I will send it for your review next week.

Thank you and have a good weekend,
Jenny

Jennifer Wilson, P.E.
Ground Water and Drinking Water Branch
U.S. EPA Region 5
WG-15J
77 West Jackson Blvd.
Chicago, IL 60604

e-mail: wilson.jennifera@epa.gov
Phone: (312)353-3115
Fax: (312)697-2751